PRINCE BISHOP TRELLIS COLLECTION







An exciting collection of genuine Woven Axminster in three contemporary designs, with an expansive colour palette to suit all tastes



www.hughmackay.com








19-M239478F Trellis Black 0.038m x 0.044m - self match



58-M239478F Trellis Beige 0.038m x 0.044m - self match



54-M239478F Trellis Brown 0.038m x 0.044m - self match








62-M239478F Trellis Corn 0.038m x 0.044m - self match




22-M239478F Trellis Dark Green 0.038m x 0.044m - self match



62-M239478F Trellis Corn 0.038m x 0.044m - self match



ONLINE STOCK CHECK, ORDERING & TRACKING



www.hughmackay.com



24-M239478F Trellis Mocha 0.038m x 0.044m - self match



24-M239478F Trellis Mocha 0.038m x 0.044m - self match



57-M239478F Trellis Mink 0.038m x 0.044m - self match




57-M239478F Trellis Mink 0.038m x 0.044m - self match



21-M239478F Trellis Red 0.038m x 0.044m - self match




21-M239478F Trellis Red 0.038m x 0.044m - self match



40-M239478F Trellis Steel $0.038m \times 0.044m$ - self match



40-M239478F Trellis Steel $0.038m \times 0.044m$ - self match





25-M041678F Crown Umber $0.33m \times 0.33m$ - self match



8-M042978F Sceptre Aphrodite 0.165m x 0.167m - self match



25-M041678F Crown Umber $0.33m \times 0.33m$ - self match



8-M042978F Sceptre Aphrodite $0.165m \times 0.167m$ - self match

SPECIFICATIONS & MAINTENANCE

General Specification Details

Prince Bishop

Pitch	7
Rows	8
Pile Yarns	2/47's, 80% Wool / 20% Nylon
Pile Weight	1225g/m2 (36.1ozs yd2)
Width Suitability	4.00m (13' 1") Extra Heavy Domestic Heavy Contract Class 33: Heavy Commercial Use

Samples

Samples of all the designs and colourways illustrated can be produced in the form of "Kibby" carpet samples (to represent colour and $% \left(1\right) =\left(1\right) \left(1$ designonly). These are usually available within 72 hours.

Please note that whilst every effort is made to accurately replicate designs in a Kibby format, this is not fully representative of the finished $% \left\{ 1,2,\ldots ,n\right\}$ woven product. Some allowance therefore must be made to take account of the visual differences which may occur depending on thedesign selected and the quality produced.

Quality Selection

The qualities detailed represent specifications which should satisfy most commercial requirements. With each particular installation, the decision on which quality is most appropriate will depend on the levels of traffic, colour and design as well as the length of time the carpet is expected to be installed. Hugh Mackay have many years experience in these considerations and can provide detailed advice on quality selection on a project by project basis.

Planning and Estimation Service

Using the latest Callidus planning software, Hugh Mackay can accurately estimate carpet requirements from site plans to any scale. Accurate estimations can be calculated and adjustments made to minimise wastage.

One critical area of importance is seam placement. Knowledge of customer flow through the building is used to guide the installer in the careful positioning of seams to avoid premature wear.

General Installation Recommendations

All patterned carpets should be installed in accordance with BS5325: 2001 Installation of Textile Floorcoverings and NICF Manual detailing industry best practice

General Maintenance Recommendations

Hugh Mackay recommend that this carpet is maintained in accordance with an agreed maintenance schedule which should include the following:

- Vacuum regularly
- Remove spills immediately •
- Professionally clean as required •

Pile Reversal

All cut pile carpets can suffer from pile reversal and in certain instances this may become permanently bent or distorted for no specific reason that research has yet identified, giving areas of light and shade. This is also described as "shading" or "watermarking" It is not a defect in manufacture; it only occurs in a small percentage of all carpets and no liability whatsoever can be accepted by the manufacturer in respect of it.

Pile Pressure

All cut pile carpets are liable to show light and dark patches resulting from disturbance of the pile created by foot traffic or brushing. This is a normal feature and is not a defect in manufacture and no liability whatsoever can be accepted by the manufacturer in respect of it.

The design is copyright of Hugh Mackay and may not be reproduced without their written permission. Due to the limitations of the printing process, we are unable to guarantee an exact colour reproduction of these designs. Hugh Mackay reserve the right to change any of these specifications without prior notice. E.O.E. © Hugh Mackay Ltd 2010.



Whitestone Weavers Ltd View Logistics, Park View Road East Hartlepool TS25 IHT t: +44 (0) 1429 892555 f: +44 (0) 1429 892560 e: sales@whitestone.co.uk www.whitestone.co.uk



Hugh Mackay Carpets View Logistics, Park View Road East Hartlepool TS25 IHT t: +44 (0) 1429 892555 f: +44 (0) 1429 892560 e: sales@hughmackay.co.uk www.hughmackay.com



Gaskell Mackay Carpets Ltd View Logistics, Park View Road East Hartlepool TS25 IHT t: +44 (0) 1429 892525 f: +44 (0) 1429 892530 e: info@gaskell.co.uk www.gaskell.co.uk